

APPLICATION

The Manhole cover is a plate that is temporarily adapted to a manhole. It effectively protects the fall of distracted passers-by or operators who might fall into the open gaze.

The Manhole cover is made of an HD polymer plate that has properties that are resistant to load, future-proof, and many chemical components.


The Manhole cover is positioned on the lip of the manhole.

With its ventilation holes with a diameter of 40 mm, the Manhole cover ensures perfect air circulation for ventilation manoeuvres in the network, even when it is closed.

Its installation is simple and quick (in a few seconds).

The Manhole cover is available in standard sizes of Ø 630 mm and Ø 825mm. It can exist in other dimensions (see Tractel). In all cases, the operator must check that the Manhole cover is compatible with the manhole on which it is going to be installed.

For good ventilation of the network, we recommend opening 3 manholes. One downstream, one in the center and one upstream of the worked area.



TECHNICAL SPECIFICATIONS

- Material: HD Polymer
- Breaking strength: 1,500 daN
- Running load: 300 kg

APPLICABLE STANDARDS

- Meets the static requirements of EN 124/2015 Class A15.

STANDARD PRODUCTS


The Manhole cover is available in several versions:

Model A: Manhole cover with ventilation holes without anchor passage.

Model V: Same as model A + large removable central ventilation hole.

Model S: Same as model A + location for the passage of the anchor. The S pad has been designed to set up a fall protection anchor point rod before it is opened. This function provides the operator with effective fall protection when opening and closing the manhole.

Model SV: Same model A + large removable central ventilation hole and place for the anchor to pass through.



Codes	Manhole cover	Designation	Thickness (mm)	Weight (kg)
253065	Yellow Manhole protective cover 630A	630	20	7
253075	Yellow Manhole protective cover + large removable central ventilation 630V	630	20	6,73
253085	Yellow Manhole protective cover + space for anchor 630S	630	20	6,67
253095	Yellow Manhole protective cover + large removable central ventilation + space for anchor 630SV	630	20	6,8
253105	Yellow Manhole protective cover 825A	825	20	10,7
253115	Yellow Manhole protective cover + large removable central ventilation 825V	825	20	10,63
253125	Yellow Manhole protective cover + space for anchor 825S	825	20	10,57
253135	Yellow Manhole protective cover + large removable central ventilation + space for anchor 825SV	825	20	10,5

NB: Other diameter, please contact us

LOGISTICS INFORMATION

Code	Désignation	EAN Code	Weight (incl. packaging) (kg)	Packaging size (mm)
253065	Yellow Manhole protective cover 630A	3600232530657	7,5	850X850X60
253075	Yellow Manhole protective cover + large removable central ventilation 630V	3600232530756	7,2	850X850X60
253085	Yellow Manhole protective cover + space for anchor 630S	3600232530855	7,1	850X850X60
253095	Yellow Manhole protective cover + large removable central ventilation + space for anchor 630SV	3600232530954	7,3	850X850X60
253105	Yellow Manhole protective cover 825A	3600232531258	11,3	850X850X60
253115	Yellow Manhole protective cover +large removable central ventilation 825V	3600232531258	11,2	850X850X60
253125	Yellow Manhole protective cover + space for anchor 825S	3600232531258	11,1	850X850X60
253135	Yellow Manhole protective cover +large removable central ventilation + space for anchor 825SV	3600232531357	11,1	850X850X60